

Figure 1. The effect of the concentration of the *Agaricus bisporus* spores on the growth of *Agaricus bisporus* on the substrate. The concentration of the spores was 10⁴ spores/g (a), 10⁵ spores/g (b), 10⁶ spores/g (c), 10⁷ spores/g (d), 10⁸ spores/g (e), 10⁹ spores/g (f), 10¹⁰ spores/g (g), 10¹¹ spores/g (h), 10¹² spores/g (i), 10¹³ spores/g (j), 10¹⁴ spores/g (k), 10¹⁵ spores/g (l). The substrate was 100 g of the substrate. The concentration of the spores was 10⁴ spores/g (a), 10⁵ spores/g (b), 10⁶ spores/g (c), 10⁷ spores/g (d), 10⁸ spores/g (e), 10⁹ spores/g (f), 10¹⁰ spores/g (g), 10¹¹ spores/g (h), 10¹² spores/g (i), 10¹³ spores/g (j), 10¹⁴ spores/g (k), 10¹⁵ spores/g (l). The substrate was 100 g of the substrate.




FIG. 2




FIG. 3

4/13




FIG. 4

100






FIG. 5

**FIG. 6****FIG. 7**

7/13





FIG. 8

**FIG. 9**

9/13





FIG. 10



200

FIG. 11




FIG. 12




FIG. 13




FIG. 14